

Switch on to Eaton



PREMERA
MIX

Simplicity
Flexibility
Elegance

PREMERA



COPA



PREMERA
PROOF



XTRA



COPA
FIX



xCOMFORT



Powering Business Worldwide



COPA is Eaton's flexible 'Clip On' Plate Accessory range designed with innovative, slim and stylish 'clip-on' face plates that conceal the screw fixing holes to give a superior elegance to the finish of the product. The decorative face plates are available in a selection of styles available in both high quality decorative plastic and luxury metal finishes.

5.1	SWITCHES	
	10A switches/architrave	47
	3 Pole fan isolator switches	47
	10A broad rocker switches	47
	Dimmer switches	47
	Alternative dimmer knobs	48
5.2	SOCKET OUTLETS	
	13A switched sockets.....	49
	Unswitched sockets	49
	5A sockets	49
	15A sockets	50
	Shaver sockets.....	50
5.3	FUSED CONNECTION UNITS	
	13A connection units – unswitched.....	51
	13A connection units – switched.....	51
5.4	POWER SWITCHES	
	20A switches	52
	45A/50A switches.....	52
5.5	BLANK PLATES	
	Blank plates	53

Continued overleaf

5.6 COMMUNICATION OUTLETS

Phone/data outlets 54

Communication outlets 54

5.7 PREMIERA MIX MODULE PLATES

Modular plates/grids 55

C012



10A switches

- To BSEN 60669-1.
- Minimum back box depth = 25mm.

Description

Description	Eaton list number					
	White interior c/w white cover	White interior	Black interior	Decorative plate option	Metallic plate option	White cover
10A 1G 1 way	C011WH	C011	C011B	CP011⁽¹⁾	CM011⁽²⁾	CP011WH
10A 2G 1 way	C012WH	C012	C012B	CP012⁽¹⁾	CM012⁽²⁾	CP012WH
10A 3G 1 way	C013WH	C013	C013B	CP013⁽¹⁾	CM013⁽²⁾	CP013WH
10A 4G 1 way	C014WH	C014	C014B	CP014⁽¹⁾	CM014⁽²⁾	CP014WH
10A 1G 1 way retractive switch with light symbol	C015LWH	C015	C015B	CP015L⁽¹⁾	CM015L⁽²⁾	CP015LWH
10A 1G 1 way retractive switch with bellpush symbol	C015WH	C015	C015B	CP015⁽¹⁾	CM015⁽²⁾	CP015WH
10A intermediate switch	C017WH	C017	C017B	CP011⁽¹⁾	CM011⁽²⁾	CP011WH
10A 1G 2 way	C021WH	C021	C021B	CP011⁽¹⁾	CM011⁽²⁾	CP011WH
10A 2G 2 way	C022WH	C022	C022B	CP012⁽¹⁾	CM012⁽²⁾	CP012WH
10A 3G 2 way	C023WH	C023	C023B	CP013⁽¹⁾	CM013⁽²⁾	CP013WH
10A 4G 2 way	C024WH	C024	C024B	CP014⁽¹⁾	CM014⁽²⁾	CP014WH
10A 6G 2 way	C026WH	C026	C026B	CP026⁽¹⁾	CM026⁽²⁾	CP026WH

CM012SS



C012 + CM012SS



C041



10A broad rocker switches

- To BSEN 60669-1.
- Minimum back box depth = 25mm.

Description

Description	Eaton list number					
	White interior c/w white cover	White interior	Black interior	Decorative plate option	Metallic plate option	White cover
10A 2G 2 way half broad switch	C032WH	C032	C032B	CP013⁽¹⁾	CM013⁽²⁾	CP013WH
10A 1G 2 way broad switch	C041WH	C041	C041B	CP013⁽¹⁾	CM013⁽²⁾	CP013WH
10A 1G 1 way broad switch bellpush	C045WH	C045	C045B	CP045⁽¹⁾	CM045⁽²⁾	CP045WH
10A intermediate broad switch	C047WH	C047	C047B	CP013⁽¹⁾	CM013⁽²⁾	CP013WH
10A 3 pole broad rocker fan isolator	C048WH	C048	C048B	CP048⁽¹⁾	CM048⁽²⁾	CP048WH
10A 3 pole broad rocker isolator	C049WH	C048	C048B	CP049⁽¹⁾	CM049⁽²⁾	CP049WH

C9132WH



Push on/push off action dimmers

- To BSEN 60669-1-1.
- Minimum back box depth = 35mm.
- Supplied with white and black knobs

Description

Description	Eaton list number					
	White interior c/w white cover	White interior	Decorative plate option	Metallic plate option	White cover	
250W 1G 2 way	C9131WH	C9131	CP351⁽¹⁾	CM351⁽²⁾	CP351WH	
250W 2G 2 way	C9132WH	C9132	CP9132⁽¹⁾	CM9132⁽²⁾	CP9132WH	
400W 1G 2 way	C9141WH	C9141	CP351⁽¹⁾	CM351⁽²⁾	CP351WH	
1000W 1G 2way – 2 gang size coverplate	C9111WH	C9111	CP9111⁽¹⁾	CM9111⁽²⁾	CP9111WH	

¹Plastic covers available in the following finishes

Finish	add suffix to end of part number	Example of product code
White	WH	CP011WH
Metallic silver	SV	CP011SV
Gold metallic	GL	CP011GL
Black matt	BM	CP011BM
Blue metallic	BL	CP011BL
Grey	GY	CP011GY

²Metal plates available in the following finishes

Finish	add suffix to end of part number	Example of product code
Stainless steel / Matt Chrome	SS	CM011SS
Highly polished	HP	CM011HP
Satin bronze	SB	CM011SB
Polished brass	PB	CM011PB

5.1

COPA clip-on plate accessory range

Switches

C9551WH



Rotary tungsten dimmers

- These dimmers are produced for **non-european countries**.
- Minimum back box depth = 35mm.
- Supplied with white and black knobs.

Description	Eaton list number		Decorative plate option	Metallic plate option	White cover
	White interior c/w white cover	White interior			
500W 1G 1 way	C9551WH	C9551	CP351¹⁾	CM351²⁾	CP351WH
500W 2G 1 way	C9552WH	C9552	CP9132¹⁾	CM9132²⁾	CP9132WH
500W 1G 1 way fan controller	C9751WH	C9751	CP351¹⁾	CM351²⁾	CP351WH
1000W 1G 1way	C9511WH	C9511	CP351¹⁾	CM351²⁾	CP351WH

A9900PB



Alternative dimmer knobs

Description	Eaton list number
Dimmer knob – highly polished	A9900HP
Dimmer knob – polished brass	A9900PB
Dimmer knob – stainless steel	A9900SS

A9900SS



¹⁾Plastic covers available in the following finishes

Finish	add suffix to end of part number	Example of product code
White	WH	CP351WH
Metallic silver	SV	CP351SV
Gold metallic	GL	CP351GL
Black matt	BM	CP351BM
Blue metallic	BL	CP351BL
Grey	GY	CP351GY

²⁾Metal plates available in the following finishes

Finish	add suffix to end of part number	Example of product code
Stainless steel / Matt Chrome	SS	CM621NSS
Highly polished	HP	CM621NHP
Satin bronze	SB	CM621NSB
Polished brass	PB	CM621NPB

C622WH



13A switched socket outlets

- To BS 1363: Part 2.
- Minimum back box depth = 25mm.
- Terminals capable of accepting up to 3 x 4mm² or 2 x 6mm² conductors.
- Double pole with 2 earth terminals

Description	Eaton list number			Decorative plate option ¹⁾	Metallic plate option ²⁾	White cover
	White interior c/w white cover	White interior	Black interior			
13A 1G DP switched socket 2E term	C621WH	C621	C621B	CP621¹⁾	CM621²⁾	CP621WH
13A 1G DP switched socket 2E term + neon	C621NWH	C621N	C621NB	CP621N¹⁾	CM621N²⁾	CP621NWH
13A 2G DP switched socket 2E term	C622WH	C622	C622B	CP622¹⁾	CM622²⁾	CP622WH
13A 2G DP switched socket 2E term + neon	C622NWH	C622N	C622NB	CP622N¹⁾	CM622N²⁾	CP622NWH
13A 2G DP switched socket 2E term	C622WH	C622	C622B	CP622¹⁾	CM622²⁾	CP622WH
13A 2G DP switched socket 2E term outboard rockers	C632WH	C632	C632B	CP632¹⁾	CM632²⁾	CP632WH
13A 1G DP switched socket 2E term non standard	C651WH	C651	C651B	CP621¹⁾	CM621²⁾	CP621WH
13A 2G DP switched socket 2E term non standard	C652WH	C652	C652B	CP632¹⁾	CM632²⁾	CP652WH

C111WHa



13A unswitched socket outlets

- To BS 1363: Part 2.
- Minimum back box depth = 25mm.
- Terminals capable of accepting up to 3 x 4mm² or 2 x 6mm² conductors.
- CP and CM coverplate on C111 item all end with an 'a'

Description	Eaton list number			Decorative plate option ¹⁾	Metallic plate option ²⁾	White cover
	White interior c/w white cover	White interior	Black interior			
13A 1G unswitched socket	C111WHa	C111a	C111ba	CP111¹⁾	CM111²⁾	CP111WHa
13A 2G unswitched socket	C112WH	C112	C112B	CP112¹⁾	CM112²⁾	CP112WH

C305WH



5A socket outlets

- Minimum back box depth = 25mm.
- To BS 546.

Description	Eaton list number			Decorative plate option ¹⁾	Metallic plate option ²⁾	White cover
	White interior c/w white cover	White interior	Black interior			
5A 1G unswitched socket	C305WH	C305	C305B	CP305¹⁾	CM305²⁾	CP305WH

¹⁾Plastic covers available in the following finishes

Finish	add suffix to end of part number	Example of product code
White	WH	CP621NWH
Metallic silver	SV	CP621NSV
Gold metallic	GL	CP621NGL
Black matt	BM	CP621NBM
Blue metallic	BL	CP621NBL
Grey	GY	CP621NGY

²⁾Metal plates available in the following finishes

Finish	add suffix to end of part number	Example of product code
Stainless steel / Matt Chrome	SS	CM621NSS
Highly polished	HP	CM621NHP
Satin bronze	SB	CM621NSB
Polished brass	PB	CM621NPB

5.2

COPA clip-on plate accessory range

Socket outlets

C415WH



15A socket outlets

- To BS 546.
- Minimum back box depth = 35mm.
- Terminals capable of accepting up to 3 x 4mm² or 2 x 6mm² conductors.

Description	Eaton list number			Decorative plate option	Metallic plate option	White cover
	White interior c/w white cover	White interior	Black interior			
15A 1G SP switched socket	C415WH	C415	C415B	CP415⁽¹⁾	CM415⁽²⁾	CP415WH

C461WH



16A socket outlets

- Minimum back box depth = 35mm.

Description	Eaton list number			Decorative plate option	Metallic plate option	White cover
	White interior c/w white cover	White interior	Black interior			
16A 1G universal 2 pin socket	C461WH	C461	C461B	CP011⁽¹⁾	CM011⁽²⁾	CP461WH

C370B



230V/115V AC shaver socket

- To BSEN 61558-2-5.
- Minimum back box depth = 47mm.

Description	Eaton list number			Decorative plate option	Metallic plate option	White cover
	White interior c/w white cover	White interior	Black interior			
Shaver socket dual voltage	C370WH	C370	C370B	CP370⁽¹⁾	CM370⁽²⁾	CP370WH

¹Plastic covers available in the following finishes

Finish	add suffix to end of part number	Example of product code
White	WH	CP415WH
Metallic silver	SV	CP415SV
Gold metallic	GL	CP415GL
Black matt	BM	CP415BM
Blue metallic	BL	CP415BL
Grey	GY	CP415GY

²Metal plates available in the following finishes

Finish	add suffix to end of part number	Example of product code
Stainless steel / Matt Chrome	SS	CM415SS
Highly polished	HP	CM415HP
Satin bronze	SB	CM415SB
Polished brass	PB	CM415PB

C221NWH



13A fused connection units

- To BS 1363: Part 4.
- Minimum back box depth = 25mm.
- Terminals capable of accepting up to 3 x 4mm² or 2 x 6mm² conductors. Use **C212** for bottom entry cable outlet.

Description	Eaton list number White interior c/w white cover	White interior	Black interior	Decorative plate option	Metallic plate option	White cover
13A fused connection unit	C220WH	C220	C220B	CP220¹⁾	CM220²⁾	CP220WH
13A fused connection unit + neon	C220NWH	C220N	C220NB	CP220N¹⁾	CM220N²⁾	CP220NWH
13A fused switched connection unit	C221WH	C221	C221B	CP221¹⁾	CM221²⁾	CP221WH
13A fused switched connection unit 'refrigerator'	–	C221	–	–	–	CP221RWH
13A fused switched connection unit 'washing machine'	–	C221	–	–	–	CP221WMWH
13A fused switched connection unit + neon	C221NWH	C221N	C221NB	CP221N	CM221N	CP221NWH
13A fused switched connection unit + neon 'refrigerator'	–	C221N	C221NB	CP221NR¹⁾	CM221NR²⁾	CP221NRWH
13A fused switched connection unit + neon 'washing machine'–	–	C221N	C221NB	CP221NWM¹⁾	CM221NWM²⁾	CP221NWMWH

C212



Adaptor plate

Description	Eaton list number
Cable outlet adaptor plate	C212

¹⁾Plastic covers available in the following finishes

Finish	add suffix to end of part number	Example of product code
White	WH	CP220WH
Metallic silver	SV	CP220SV
Gold metallic	GL	CP220GL
Black matt	BM	CP220BM
Blue metallic	BL	CP220BL
Grey	GY	CP220GY

²⁾Metal plates available in the following finishes

Finish	add suffix to end of part number	Example of product code
Stainless steel / Matt Chrome	SS	CM220SS
Highly polished	HP	CM220HP
Satin bronze	SB	CM220SB
Polished brass	PB	CM220PB

5.4

COPA clip-on plate accessory range

Power switches

C401NWH



20A switches

- To BSEN 60669-1.
- Minimum back box depth = 25mm.
- Use cable adaptor plate C212 for bottom entry cable outlet.

Description	Eaton list number					
	White interior c/w white cover	White interior	Black interior	Decorative plate option	Metallic plate option	White cover
20A DP switch + neon	C401NWH	C401N	C401NB	CP401N⁽¹⁾	CM401N⁽²⁾	CP401NWH
20A DP control switch	C401WH	C401	C401B	CP401⁽¹⁾	CM401⁽²⁾	CP401WH
20A DP switch + neon marked 'water heater'	C403NWH	C401N	C401NB	CP403N⁽¹⁾	CM403N⁽²⁾	CP403NWH
20A DP switch marked 'water heater'	C403WH	C401	C401B	CP403⁽¹⁾	CM403⁽²⁾	CP403WH

C422NWH



50A switches

- Minimum back box depth = 47mm.
- To BSEN 60669-1.

Description	Eaton list number					
	White interior c/w white cover	White interior	Black interior	Decorative plate option	Metallic plate option	White cover
50A DP switch + neon	C421NWH	C421N	C421NB	CP421N⁽¹⁾	CM421N⁽²⁾	CP421NWH
50A DP switch + neon 1G plate size	C422NWH	C422N	C422NB	CP422N⁽¹⁾	CM422N⁽²⁾	CP422NWH
50A DP switch + neon 'cooker'	C423NWH	C421N	C421NB	CP423N⁽¹⁾	CM423N⁽²⁾	CP423NWH
50A DP switch + neon 'air conditioner'	C424NWH	C421N	C421NB	CP424N⁽¹⁾	CM424N⁽²⁾	CP424NWH
50A DP switch + neon 'cooker' 1G plate size	C426NWH	–	–	–	–	–

C425NWH



45A switches

- Minimum back box depth = 47mm.
- To BS 4177.

Description	Eaton list number					
	White interior c/w white cover	White interior	Black interior	Decorative plate option	Metallic plate option	White cover
45A DP cooker control unit	C425WH	C425	C425B	CP425⁽¹⁾	CM425⁽²⁾	CP425WH
45A DP cooker control unit + neon	C425NWH	C425N	C425NB	CP425N⁽¹⁾	CM425N⁽²⁾	CP425NWH

¹Plastic covers available in the following finishes

Finish	add suffix to end of part number	Example of product code
White	WH	CP401WH
Metallic silver	SV	CP401SV
Gold metallic	GL	CP401GL
Black matt	BM	CP401BM
Blue metallic	BL	CP401BL
Grey	GY	CP401GY

²Metal plates available in the following finishes

Finish	add suffix to end of part number	Example of product code
Stainless steel / Matt Chrome	SS	CM401SS
Highly polished	HP	CM401HP
Satin bronze	SB	CM401SB
Polished brass	PB	CM401PB

CP392SV



Blank plates

- Minimum back box depth = 16mm.

Description	Eaton list number			Decorative plate option	Metallic plate option	White cover
	White interior c/w white cover	White interior	Black interior			
1G blank plate	C391WH	C391	–	CP391 ¹⁾	CM391 ²⁾	CP391WH
2G blank plate	C392WH	C392	–	CP392 ¹⁾	CM392 ²⁾	CP392WH

¹⁾Plastic covers available in the following finishes

Finish	add suffix to end of part number	Example of product code
White	WH	CP391WH
Metallic silver	SV	CP391SV
Gold metallic	GL	CP391GL
Black matt	BM	CP391BM
Blue metallic	BL	CP391BL
Grey	GY	CP391GY

²⁾Metal plates available in the following finishes

Finish	add suffix to end of part number	Example of product code
Stainless steel / Matt Chrome	SS	CM391SS
Highly polished	HP	CM391HP
Satin bronze	SB	CM391SB
Polished brass	PB	CM391PB

5.6

COPA clip-on plate accessory range

Communication outlets

C362WH



Telephone outlets

- Minimum back box depth = 25mm.

Description

Description	Eaton list number					
	White interior c/w white cover	White interior	Black interior	Decorative plate option	Metallic plate option	White cover
1G telephone outlet master	C360WH	C360	C360B	CP360⁽¹⁾	CM360⁽²⁾	CP360WH
1G telephone outlet secondary	C361WH	C361	C361B	CP360⁽¹⁾	CM360⁽²⁾	CP360WH
1G telephone outlet RJ11	C362WH	C362	C362B	CP360⁽¹⁾	CM360⁽²⁾	CP360WH
1G RJ45 CAT 6 outlet	C363WH	C363	C363B	CP360⁽¹⁾	CM360⁽²⁾	CP360WH

C351B



TV co-axial outlets

- To BS3041-2.
- Minimum back box depth = 25mm.

Description

Description	Eaton list number					
	White interior c/w white cover	White interior	Black interior	Decorative plate option	Metallic plate option	White cover
1G TV co-axial outlet	C351WH	C351	C351B	CP351⁽¹⁾	CM351⁽²⁾	CP351WH
2G TV co-axial outlet	C352WH	C352	C352B	CP352⁽¹⁾	CM352⁽²⁾	CP352WH

CP351GL



C351B + CP351GL



C359WH



TV/FM/radio and satellite outlets

- To BS 6312: 2.2.
- Minimum back box depth = 25mm.

Description

Description	Eaton list number					
	White interior c/w white cover	White interior	Black interior	Decorative plate option	Metallic plate option	White cover
1G TV/FM isolated co-axial outlet	C353WH	C353	C353B	CP351⁽¹⁾	CM351⁽²⁾	CP351WH
2G TV/FM diplexer co-axial outlet	C354WH	C354	C354B	CP352⁽¹⁾	CM352⁽²⁾	CP352WH
1G Satellite outlet	C355WH	C355	C355B	CP351⁽¹⁾	CM351⁽²⁾	CP351WH
2G TV/Satellite outlet	C356WH	C356	C356B	CP352⁽¹⁾	CM352⁽²⁾	CP352WH
1G TV/Radio/Satellite/return outlet	C359WH	C359	C359B	CP359⁽¹⁾	CM359⁽²⁾	CP359WH

¹Plastic covers available in the following finishes

Finish	add suffix to end of part number	Example of product code
White	WH	CP360WH
Metallic silver	SV	CP360SV
Gold metallic	GL	CP360GL
Black matt	BM	CP360BM
Blue metallic	BL	CP360BL
Grey	GY	CP360GY

²Metal plates available in the following finishes

Finish	add suffix to end of part number	Example of product code
Stainless steel / Matt Chrome	SS	CM360SS
Highly polished	HP	CM360HP
Satin bronze	SB	CM360SB
Polished brass	PB	CM360PB

C903WH



Modular plates

- Minimum back box depth = 35mm.
- For modules, please refer to PREMERA mix section – see page 30.

Description	Eaton list number			Decorative plate option ⁴⁾	Metallic plate option ⁴⁾	White cover ⁴⁾
	White interior c/w white cover ³⁾	White interior ³⁾	Black interior ³⁾			
1 module plate	C901WH	C901	C901B	CP901 ¹⁾	CM901 ²⁾	CP901WH
2 module plate	C902WH	C902	C902B	CP902 ¹⁾	CM902 ²⁾	CP902WH
3 module plate	C903WH	C903	C903B	CP903 ¹⁾	CM903 ²⁾	CP903WH
4 module plate	C904WH	C904	C904B	CP904 ¹⁾	CM904 ²⁾	CP904WH
6 module plate	C906WH	C906	C906B	CP906 ¹⁾	CM906 ²⁾	CP906WH
8 module plate	C908WH	C908	C908B	CP908 ¹⁾	CM908 ²⁾	CP908WH
12 module plate	–	C912	C912B	CP912 ¹⁾	CM912 ²⁾	CP912WH
18 module plate	–	C918	C918B	CP918 ¹⁾	CM918 ²⁾	CP918WH
24 module plate	–	C924	C924B	CP924 ¹⁾	CM924 ²⁾	CP924WH

³⁾ Supplied with mounting frames/earth bars

⁴⁾ Covers only

¹⁾Plastic covers available in the following finishes

Finish	add suffix to end of part number	Example of product code
White	WH	CP901WH
Metallic silver	SV	CP901SV
Gold metallic	GL	CP901GL
Black matt	BM	CP901BM
Blue metallic	BL	CP901BL
Grey	GY	CP901GY

²⁾Metal plates available in the following finishes

Finish	add suffix to end of part number	Example of product code
Stainless steel / Matt Chrome	SS	CM901SS
Highly polished	HP	CM901HP
Satin bronze	SB	CM901SB
Polished brass	PB	CM901PB